PROPOSAL UNIT PRICE CONTRACT FOR CITY OF WATERVILLE

LUC-ANTHONY WAYNE TRAIL / SOUTH RIVER ROAD WIDENING & SHARED USE PATH

"LUC-Anthony Wayne Trail / South River Road Widening & Shared Use Path" for the City of Waterville, in accordance with the following Contract Documents, including the Notice to Bidders, Instruction to Bidders, Project Specifications, General Conditions, Supplementary Conditions, Wage The undersigned, having familiarized himself (or themselves) with the local conditions affecting the cost of work and with the Plans and Contract Rates, Bonds, Affidavits, etc., hereby proposes to perform everything required to be performed and to provide and furnish all labor, materials, necessary tools, equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner Documents and Plans thereof at the following prices:

609	608	608	607	503	254	204	204	204	204	203	203	202	202	202	202	202	202	202	NUMBER	ITEM	ODOT
CONCRETE MEDIAN	CURB RAMP, AS PER PLAN	4" CONCRETE WALK	FENCE, MISCELLANEOUS: GATE RESET	ROCK EXCAVATION	PAVEMENT PLANING, ASPHALT CONCRETE	PROOF ROLLING	GRANULAR MATERIAL, TYPE B	EXCAVATION OF SUBGRADE	SUBGRADE COMPACTION	EMBANKMENT	EXCAVATION	WALK REMOVED	CURB AND GUTTER REMOVED	CATCH BASIN OR INLET REMOVED	CURB REMOVED	PIPE REMOVED LESS THAN 24"	PAVEMENT REMOVED (CONCRETE DRIVE)	CLEARING AND GRUBBING	3	ITEM	
18	795	220	1	100	3297	4	25	25	9776	318	3340	40	466	5	156	325	675	1		QUANTITY	
SQ YD	SQ FT	SQ FT	EACH	CU YD	SQ YD	HOUR	CU YD	CU YD	SQ YD	CU YD	CU YD	SQ FT	FT	EACH	FT	FT	SQ YD	L. SUM		UNIT	
																				UNIT PRICE	
																				AMOUNT	

ODOT	ITEM	OHANTITY	TIND	UNIT PRICE	AMOUNT
NUMBER					
653	TOPSOIL FURNISHED AND PLACED	511	CU YD		3
659	SEEDING AND MULCHING, CLASS 1	9190	SQ YD		
659	REPAIR SEEDING	500	SQ YD		
659	COMMERCIAL FERTILIZER	1.24	TON		
659	WATER	75	M. GAL		
666	PRUNNING EXISTING TREE, 8 TO 16-INCH DIAMETER, AS PER PLAN	6	EACH		
670	VEGETATED SWALE EROSION PROTECTION	1956	SQ YD		
670	SLOPE EROSION PROTECTION MAT, TYPE B	3119	SQ YD		
832	STORM WATER POLLUTION PREVENTION PLAN	1	L. SUM		
832	EROSION CONTROL	10000	EACH		
602	CONCRETE MASONRY	0.20	CU YD		
605	6" SHALLOW PIPE UNDERDRAINS WITH FABRIC WRAP	872	FT		
611	6" CONDUIT, TYPE F FOR UNDERDRAIN OUTLETS	70	FT		
611	10" CONDUIT, TYPE B, 707.45	8	FT		
611	12" CONDUIT, TYPE B, 707.45	441	FT		
611	12" CONDUIT, TYPE C, 707.45	8	FT		
611	12" CONDUIT, TYPE A, 706.02	16	FT		
611	CATCH BASIN, NO. 2-2B	ш	EACH		
611	CATCH BASIN, NO. 3	2	EACH		
611	CATCH BASIN, NO. 3A	2	EACH		
611	CATCH BASIN, NO. 5	1	EACH		
611	CATCH BASIN RECONSTRUCTED TO GRADE, AS PER PLAN	5	EACH		
611	MANHOLE, NO. 3	6	EACH		
611	MANHOLE RECONSTRUCTED TO GRADE, AS PER PLAN	1	EACH		
611	MANHOLE ADJUSTED TO GRADE	1	EACH		
895	MANUFACTURED WATER QUALITY STRUCTURE, TYPE 1	1	EACH		
301	ASPHALT CONCRETE BASE, PG64-22	256	CU YD		

ODOT	ITEM	QUANTITY	UNIT	UNIT PRICE	AMOUNT
NUMBER					
304	AGGREGATE BASE	2194	CU YD		
407	TACK COAT	330	GAL		
407	TACK COAT FOR INTERMEDIATE COURSE	323	GAL		
408	PRIME COAT	2642	GAL		
411	STABILIZED CRUSHED AGGREGATE	6	CU YD		
442	ASPHALT CONCRETE SURFACE COURSE, 12.5MM, TYPE A (446)	205	CU YD		
442	ASPHALT CONCRETE INTERMEDIATE COURSE, 19MM, TYPE A (446)	74	CU YD		
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG 64-22 (SHARED USE PATH)	373	CUYD		
448	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, PG 64-22 (DRIVEWAYS)	4	CU YD		
448	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 (SHARED USE PATH)	272	CU YD		
448	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, PG 64-22 (DRIVEWAYS)	3	CU YD		
452	10" NON-REINFORCED CONCRETE PAVEMENT (DRIVEWAYS)	648	SQ YD		
609	COMBINATION CURB AND GUTTER, TYPE 2	931	FT		
638	12 INCH x 6 INCH TAPPING SLEEVE, VALVE AND VALVE BOX	1	EACH		
638	FIRE HYDRANT, REMOVED FOR STORAGE	1	EACH		
638	VALVE BOX ADJUSTED TO GRADE	7	EACH		
638	FIRE HYDRANT ADJUSTED TO GRADE	4	EACH		
638	WATER WORK MISC.: METER PIT ADJUSTED TO GRADE	1	EACH		
638	6" FIRE HYDRANT ASSEMBLY (CITY OF WATERVILLE)	1	EACH		
630	SIGN, FLAT SHEET, TYPE G	95	SQ FT		
630	GROUND MOUNTED SUPPORT, NO. 2 (SQUARE POSTS)	72	픠		
630	GROUND MOUNTED SUPPORT, NO. 3 (SQUARE POSTS)	160	FT		
630	REMOVAL OF GROUND MOUNTED SIGN AND RE-ERECTION	7	EACH		*
630	STREET NAME SIGN POST, NO. 2 POST	14	幵		
630	SIGNING, MISC.: SOLAR POWERED, LED ENHANCED, TRUCK CROSSING WARNING SIGN, 24 INCH	4	EACH		

EDGE LINE, TYPE 1 0.61 CENTERLINE, TYPE 1 0.77 ISLAND MARKING, YELLOW 160 CHANNELIZING LINE, TYPE 1 988 STOP LINE, TYPE 1 70 TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 540 REMOVAL OF PAVEMENT MARKER REMOVED 8 RAISED PAVEMENT MARKER REMOVED 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 23 PEDESTAL FOUNDATION 2 PEDESTAL FOUNDATION 2 PEDESTAL, S FEET, TRANSFORMER BASE 23 DOWN GUY, AS PER PLAN 4 PEDESTAL, S FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 4 ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 10 WORK ZONE ARROW, CLASS 1 1976 WORK ZONE DOTTED LINE, CLASS 1 1080	ODOT ITEM NUMBER 630 630	ITEM REMOVAL OF GROUND MOUNTED POST AND DISPOSAL REMOVAL OF GROUND MOUNTED SIGN AND STORAGE SIGN POST REFLECTOR	QUANTITY 6 2	UNIT EACH EACH	UNIT PRICE
SIGN POST REFLECTOR 1 EDGE LINE, TYPE 1	630	REMOVAL OF GROUND MOUNTED SIGN AND STORAGE	2		모
EDGE LINE, TYPE 1	630	SIGN POST REFLECTOR	1	ΕA	오
CENTERLINE, TYPE 1 0.77 ISLAND MARKING, YELLOW 160 CHANNELIZING LINE, TYPE 1 988 STOP LINE, TYPE 1 70 TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 540 DOTTED LINE, 4 INCH 115 CROSSWALK LINE, TYPE 1, AS PER PLAN 540 DOTTED LINE, 4 INCH 1378 WORD ON PAVEMENT MARKING 1378 WORD ON PAVEMENT MARKER REMOVED 290 REMOVAL OF PAVEMENT MARKER REMOVED 250 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL FOUNDATION 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 4 DOWN GUY, AS PER PLAN 1 TRAFFIC CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 1976 WORK ZONE DOTTED LINE, CLASS 1 100 LANE ARROW, CLASS 1 100 LANE ARROW	644	EDGE LINE, TYPE 1	0.61	MI	Έ
ISLAND MARKING, YELLOW 160 CHANNELIZING LINE, TYPE 1 988 STOP LINE, TYPE 1 70 TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 8 WORD ON PAVEMENT MARKER REMOVED 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL FOUNDATION 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 4 ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 0.77 WORK ZONE ARROW, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 100	644	CENTERLINE, TYPE 1	0.77	MIL	Æ
CHANNELIZING LINE, TYPE 1 988 STOP LINE, TYPE 1 70 TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT, 48 INCH 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 4 DOWN GUY, AS PER PLAN 1 TRAFFIC CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 0.77 WORK ZONE CHANNELIZING LINE, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 1080	644	ISLAND MARKING, YELLOW	160	SQF	
STOP LINE, TYPE 1 70 TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT MARKER REMOVED 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 4 ASSPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 1076 WORK ZONE CHANNELIZING LINE, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 1080	644	CHANNELIZING LINE, TYPE 1	988	핌	
TRANSVERSE LINE, TYPE 1 440 LANE ARROW, TYPE 1 15 CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT, 48 INCH 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 1 ASPHALT CONCRETE FOR MAINITAINING TRAFFIC 5 WORK ZONE CENTERLINE, CLASS 1 1976 WORK ZONE CHANNELIZING LINE, CLASS 1 15 WORK ZONE ARROW, CLASS 1 1080	644	STOP LINE, TYPE 1	70	FT	
LANE ARROW, TYPE 1 15 CCROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT, 48 INCH 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL FOUNDATION 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 1 ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 1976 WORK ZONE CHANNELIZING LINE, CLASS 1 1976 WORK ZONE DOTTED LINE, CLASS 1 1080	644		440	ㅋ	
CROSSWALK LINE, TYPE 1, AS PER PLAN 290 DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT, 48 INCH 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL FOUNDATION 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 1 ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CHANNELIZING LINE, CLASS 1 0.77 WORK ZONE ARROW, CLASS 1 1976 WORK ZONE ARROW, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 1080	644	LANE ARROW, TYPE 1	15	EAC	Ξ
DOTTED LINE, 4 INCH 540 REMOVAL OF PAVEMENT MARKING 1378 WORD ON PAVEMENT, 48 INCH 8 RAISED PAVEMENT MARKER REMOVED 23 RPM 55 SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY 2 PEDESTAL, 8 FEET, TRANSFORMER BASE 4 PEDESTAL, 8 FEET, TRANSFORMER BASE 1 DOWN GUY, AS PER PLAN 1 TRAFFIC COMPACTED SURFACE, TYPE A OR B 1 ASPHALT CONCRETE FOR MAINTAINING TRAFFIC 5 WORK ZONE CENTERLINE, CLASS 1 0.77 WORK ZONE CHANNELIZING LINE, CLASS 1 1976 WORK ZONE DOTTED LINE, CLASS 1 1080	644	1,	290	퓌	
REMOVAL OF PAVEMENT MARKING WORD ON PAVEMENT, 48 INCH RAISED PAVEMENT MARKER REMOVED RAISED PAVEMENT MARKER REMOVED SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY PEDESTAL FOUNDATION PEDESTAL, 8 FEET, TRANSFORMER BASE DOWN GUY, AS PER PLAN TRAFFIC COMPACTED SURFACE, TYPE A OR B ASPHALT CONCRETE FOR MAINTAINING TRAFFIC WORK ZONE CENTERLINE, CLASS 1 WORK ZONE CHANNELIZING LINE, CLASS 1 WORK ZONE ARROW, CLASS 1 1378 1378 8 8 8 1378 1378 1378 1378 1378 1378 1379 1370 137	644	DOTTED LINE, 4 INCH	540	뒤	
WORD ON PAVEMENT, 48 INCH8RAISED PAVEMENT MARKER REMOVED23RPM55SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY2PEDESTAL FOUNDATION4PEDESTAL, 8 FEET, TRANSFORMER BASE4DOWN GUY, AS PER PLAN1TRAFFIC COMPACTED SURFACE, TYPE A OR B10ASPHALT CONCRETE FOR MAINTAINING TRAFFIC5WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE DOTTED LINE, CLASS 11080	644	REMOVAL OF PAVEMENT MARKING	1378	FT	
RAISED PAVEMENT MARKER REMOVED RPM SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY PEDESTAL FOUNDATION PEDESTAL, 8 FEET, TRANSFORMER BASE DOWN GUY, AS PER PLAN TRAFFIC COMPACTED SURFACE, TYPE A OR B ASPHALT CONCRETE FOR MAINTAINING TRAFFIC WORK ZONE CENTERLINE, CLASS 1 WORK ZONE CHANNELIZING LINE, CLASS 1 WORK ZONE ARROW, CLASS 1 WORK ZONE DOTTED LINE, CLASS 1 1030 1150 1160 1176	644	WORD ON PAVEMENT, 48 INCH	∞	EAC	포
RPM55SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY2PEDESTAL FOUNDATION4PEDESTAL, 8 FEET, TRANSFORMER BASE4DOWN GUY, AS PER PLAN1TRAFFIC COMPACTED SURFACE, TYPE A OR B10ASPHALT CONCRETE FOR MAINTAINING TRAFFIC5WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 115	621	RAISED PAVEMENT MARKER REMOVED	23	EAC	₹
SIGNING MISC:: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY2PEDESTAL FOUNDATION4PEDESTAL, 8 FEET, TRANSFORMER BASE4DOWN GUY, AS PER PLAN1TRAFFIC COMPACTED SURFACE, TYPE A OR B10ASPHALT CONCRETE FOR MAINTAINING TRAFFIC5WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 11080	621	RPM	55	EAC	Ï
PEDESTAL FOUNDATION4PEDESTAL, 8 FEET, TRANSFORMER BASE4DOWN GUY, AS PER PLAN1TRAFFIC COMPACTED SURFACE, TYPE A OR B10ASPHALT CONCRETE FOR MAINTAINING TRAFFIC5WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 11080	630	SIGNING MISC.: SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RRFB) SIGN ASSEMBLY	2	EAC	王
PEDESTAL, 8 FEET, TRANSFORMER BASE4DOWN GUY, AS PER PLAN1TRAFFIC COMPACTED SURFACE, TYPE A OR B10ASPHALT CONCRETE FOR MAINTAINING TRAFFIC5WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 11080	632	PEDESTAL FOUNDATION	4	EAC	포
DOWN GUY, AS PER PLAN TRAFFIC COMPACTED SURFACE, TYPE A OR B ASPHALT CONCRETE FOR MAINTAINING TRAFFIC WORK ZONE CENTERLINE, CLASS 1 WORK ZONE CHANNELIZING LINE, CLASS 1 WORK ZONE ARROW, CLASS 1 WORK ZONE ARROW, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1	632	PEDESTAL, 8 FEET, TRANSFORMER BASE	4	EAC	포
TRAFFIC COMPACTED SURFACE, TYPE A OR B ASPHALT CONCRETE FOR MAINTAINING TRAFFIC WORK ZONE CENTERLINE, CLASS 1 WORK ZONE CHANNELIZING LINE, CLASS 1 WORK ZONE ARROW, CLASS 1 WORK ZONE ARROW, CLASS 1 WORK ZONE DOTTED LINE, CLASS 1 15	632	DOWN GUY, AS PER PLAN	1	EA	유
ASPHALT CONCRETE FOR MAINTAINING TRAFFIC WORK ZONE CENTERLINE, CLASS 1 WORK ZONE CHANNELIZING LINE, CLASS 1 WORK ZONE ARROW, CLASS 1 WORK ZONE DOTTED LINE, CLASS 1 15	410	TRAFFIC COMPACTED SURFACE, TYPE A OR B	10	5	ď
WORK ZONE CENTERLINE, CLASS 10.77WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 11080	614	ASPHALT CONCRETE FOR MAINTAINING TRAFFIC	5	CU	ð
WORK ZONE CHANNELIZING LINE, CLASS 11976WORK ZONE ARROW, CLASS 115WORK ZONE DOTTED LINE, CLASS 11080	614	WORK ZONE CENTERLINE, CLASS 1	0.77	<u> </u>	im
WORK ZONE ARROW, CLASS 1 15 WORK ZONE DOTTED LINE, CLASS 1 1080	614	WORK ZONE CHANNELIZING LINE, CLASS 1	1976		
WORK ZONE DOTTED LINE, CLASS 1 1080	614	WORK ZONE ARROW, CLASS 1	15	EAC	Ĭ
	614	WORK ZONE DOTTED LINE, CLASS 1	1080	בו	

	TOTAL				
		L.SUM	1	MOBILIZATION	624
		L.SUM	1	CONSTRUCTION LAYOUT STAKES AND SURVEYING	623
		L.SUM	1	MAINTAINING TRAFFIC	614
		EACH	25	REPLACEMENT DRUM	614
		FT	150	WORK ZONE CROSSWALK LINE, CLASS 1	614
					NUMBER
AMOUNT	UNIT PRICE	TINU	QUANTITY	ITEM	ITEM
					ODOT